REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AN	AND DATES COVERED		
	July 30, 1996	FINAL 1 Jan	nuary 1994 - 1	30 June 1996	
4. TITLE AND SUBTITLE			5. FUNDING NUM	BERS	
Chemistry and Electrochemistry in Lewis Acid and Superacid Ionic Liquids			F49620-92-J-0056 2303 AS		
6. AUTHOR(S)			1 '		
Robert A. Osteryoung					
7. PERFORMING ORGANIZATION NAME(8. PERFORMING ORGANIZATION REPORT NUMBER				
North Carolina State University Box 7003	ersity		a Boom law		
Raleigh, NC 27695-7003			AFOSR NL	1 - D -115	
Raieigii, NC 2/695=7003				Ave., Rm Bll5	
			BOILING AFE	3, DC 20332- 8080	
9. SPONSORING/MONITORING AGENCY	NAME(S) AND ADDRESS(ES)		10. SPONSORING / I AGENCY REPOR	MONITORING	
		€:			
11. SUPPLEMENTARY NOTES		- 100	ይለዕለር	$\Lambda 40 -$	
THE SOUTH COMMENT AND THE S		199	60805	UIX	
		100	00000	010	
12a. DISTRIBUTION/AVAILABILITY STATE	MENT		12b. DISTRIBUTION	CODE	
APPROVED FOR PUBLIC RELEAS	E: DISTRIBUTTON UNIT.T	MTTED			
	-,	11100			

13. ABSTRACT (Maximum 200 words)

Studies of ambient temperature chloroaluminate ionic liquids composed of aluminum chloride and 1-ethyl-3-methylimidazolium chloride were carried out. The major activity involved studies in alkali halide buffered neutral melts. We have observed that these buffered melts exhibit a "latent acidity". Weak Levvis bases, B:, which are uncomplexed by AICl₃ in an unbuffered neutral melt, form AICl₃ adducts in a buffered melt. This occurs because the equilibrium B: + AICl₄ + Na⁺ = B:AICl₃ + NaCl(s) is driven to the right by the precipitation of NaCl(s). The extent to which the reaction takes place depends quantitatively on the [Na+I. ROESY NMR was carried out to obtain information of local structure in basic chloroaluminate ionic liquids. The ROESY spectra clearly showed cross-peaks due to intramolecular and intermolecular NOE transfers between various protons on the ring system. This confirmed hydrogen bonding between chloride and various ring hydrogen giving rise to structure in the basic melts. Battery related studies involving the use of an additive in the neutral buffered melts to passivate and minimize corrosion of Na and Li surfaces were carried out. SOCl₂ was found to be superior to HCl as a passivating agent.

14. SUBJECT TERMS						
			15. NUMBER OF PAGES			
Chloroaluminates; ion	24					
	16. PRICE CODE					
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT			

This is a Final Report on Contract F49620-94-1-0056, "Chemical Studies in Lewis Acid and Superacid Systems".

This activity was funded for a one year period for \$157, 378 (FY 94) starting January 1, 1994. The AFOSR program under which this grant was funded was terminated as a renewal proposal was being prepared. Rather than operating at the full funded level, requests for a one year no cost-extension, followed by a six-month no cost extension, were made and granted. Thus, the period of the grant was from January 1, 1994 through June 30, 1996.

A major reason for extending the period of the grant, and bringing the research project to an orderly conclusion, was that an Air Force officer, Capt. Robert Mantz, was in our laboratory working on his Ph.D. Captain Mantz entered graduate school here in August, 1993. It was felt very desirable to have at least one post-doc, or other personnel, in the laboratory at the same time that Capt. Mantz was working on his thesis.

INTRODUCTORY COMMENTS

As described above, this work was initially funded for a one year period, but, as a result of changes in funding, was extended to the 2.5 year period covered by this report at a considerably lower level of effort than originally envisioned. As has been the case in past reports, completed work will be presented as abstracts from materials published. Topics are listed below, generally, as items which appeared in the proposal for this Contract.

I. COMPLETED WORK

A. Studies of Polymer Modified Electrodes in Ambient Temperature Molten Salts

A limited amount of work in this area was performed during the period of this report. Two manuscripts, listed as "in press" in the Final Report for AFOSR Grant No. F49620-92-J-0326, have been published. (Appendix A, Ref. 127, 129.) A "Proceedings" manuscript on this work has also been published. (Appendix A, Ref. 134).

B. General Electrochemistry/ Fast Pulse Voltammetry

One manuscript listed as in press in the Final Report for AFOSR Grant No. F49620-92-J-0326, has been published. (Appendix A, Ref. 128).

A manuscript, "Electron Transfer Kinetics for Weakly-Bonded, Labile Metal-Ligand Complexes", has been submitted, and will be published in, the Journal of the Chemical Society: Faraday Transactions, in a special volume on electrochemistry dedicated to Prof. Roger Parsons. Portions of this work were carried out at North Carolina State University and at the then existing Seiler Research Laboratory. (Appendix A, Ref. 138).

Abstract

The electron transfer kinetics for the weakly-bonded, labile Cu(I)-L (L = CO and ethylene) complexes were investigated with square wave voltammetry (SWV) in the ionic liquid solvent $AlCl_3$ -EMIC (EMIC = 1-ethyl-3-methyl-1*H*-imidazolium chloride). The oxidation of Cu(I)-L to Cu(II) and free ligand proceeds through an asymmetric quasi-reversible electron transfer mechanism in which the heterogeneous rate constant (k_a^0) is decreased relative to the rate constant for uncomplexed Cu(I), and the anodic transfer coefficients (β) is much less than 0.5. The Cu(I)-L bond energies were determined using potentiometric methods

and found to be $9.4(\pm0.8)$ and $11.1(\pm0.1)$ kcal mol⁻¹ for the CO and ethylene complexes, respectively.

C. Chemistry and Electrochemistry in Superacid Systems

Work on the concept of "latent acidity" in the ambient temperature chloroaluminate buffered neutral melts was continued. A quantitative study of this concept was undertaken, completed, and published in Analytical Chemistry (Appendix A, Ref. 131). A "Proceedings" paper on this work has also been published. (Appendix A, Ref. 132).

Abstract

Chloroaluminate ambient temperature ionic liquids consisting of AICI₃ and 1-ethyl-3-methylimidazolium chloride can be both neutralized and buffered by the addition of an alkali halide to an acidic melt, one containing excess AICI₃. Such melts possess an electrochemical window of ~4.4 V. The ionic composition of a NaCI-buffered neutral melt is modified such that [Im+I + [Na+I = [AIC₄⁻¹]. We have observed that these buffered melts exhibit a latent acidity. Weak Levvis bases, B:, which are uncomplexed by AICI₃ in an unbuffered neutral melt, form AICI₃ adducts in a buffered melt. This occurs because the equilibrium B: + AICI₄⁻¹ + Na⁺ = B:AICI₃ + NaCl(s) is driven to the right by the precipitation of NaCl(s); in the absence of Na⁺, this reaction does not take place. The reaction was observed for the weak bases acetylferrocene, dimethylaniline, and pyrrole with use of electrochemical and spectroscopic techniques and is limited by the amount of Na⁺ present in solution in the initially buffered neutral melt.

Although not specifically in this task area, work on NMR studies of these molten salt systems was continued. ROESY NMR of basic ambient temperature chloroaluminate melts was examined to obtain interaction pertaining to the structural interactions in the system. This work was published in Inorganic Chemistry (Appendix A, Ref. 132). A "Proceedings" paper on this work was also published. (Appendix A., Ref. 133).

Abstract

ROESY NMR was carried out to obtain information of local structure in basic chloroaluminate ionic liquids consisting of mixtures of AlCl₃ and 1-ethyl-3-methylimidazolium chloride. The ROESY spectra clearly showed cross-peaks due to intramolecular and intermolecular NOE transfers between various protons on the ring system. This confirms hydrogen bonding between chloride and various ring hydrogen giving rise to structure in the basic melts.

D. Material Synthesis

We had felt it possible to synthesize crystals based on oxidation of tetrathiafulvalene. This is reported in a manuscript, "Heterogeneous and Homogeneous Electron Transfer Reactions of Tetrathafulvalene in Ambient Temperature Chloroaluminate Molten Salts", which was published in the Journal of the Electrochemical Society. (Appendix A, Ref. 130).

Abstract

The electrochemistry of tetrathiafulvalene (TTF) in an ambient temperature chloroaluminate molten salt composed of 1-ethyl-3-methylimidazolium chloride mixed with AlCl₃ has been examined. In both basic and acidic melts, TTF is oxidized in two consecutive one-electron steps to TTF⁺ and then to TTF²⁺. In basic melts, neutral TTF is stable and its oxidations are well behaved on the voltammetric time scale. TTF²⁺ is adsorbed at a glassy carbon working electrode in basic melts. constant current electrolysis of TTF to TTF⁺ at a Pt electrode in basic melt produces purple crystals which appear to be electronically conductive. In acidic melts, HCl, present as an impurity, oxidizes TTF to TTF⁺. Diffusion coefficient measurements by pulse voltammetry suggest that TTF forms a slowly diffusing AlCl₃ adduct in acidic melts.

E. Battery Related Studies

Towards the end of this Contract period, work was carried out related to battery activities then underway at the Frank J. Seiler Research Laboratory, and in collaboration with personnel there. The first work on this involved an effort to passivate sodium or lithium anodes in buffered melts, and has been published in J. Electrochem. Soc. (Appendix A, Ref. 133).

Abstract

Lithium and sodium deposition-stripping studies were performed in room temperature buffered neutral chloroaluminate melts containing low concentrations of thionyl chloride (SOCl₂). The SOCl₂ solute promotes high cycling efficiencies of the alkali metals in these electrolytes. Staircase cyclic voltammetry and chronopotentiometry show cycling efficiencies of approximately 90% for both lithium and sodium. High cycling efficiencies are maintained following extended exposure of the melt to the dry box atmosphere and after time delays at open circuit. The performance of the SOCl₂ promoted systems is substantially improved over previous studies in room temperature melts containing hydrogen chloride as the promoting solute.

A second piece of work followed up on this and attempted to optically examine the lithium and sodium surfaces in the same system. This work is in press in J. Electrochem. Soc. (Appendix A, Ref. 134).

Abstract

Previous work performed in both sodium and lithium buffered chloroaluminate molten salts have shown that the addition of small amounts of SOCl₂ promotes the reversible stripping behavior of lithium and sodium metal with cycling efficiencies between 80-90%. In this work we have performed a series of optical studies in conjunction with electrochemical experiments at varying SOCl₂ concentrations in both lithium and sodium chloride buffered melts. On investigation, the lithium deposit is dendritic in nature and does not form a uniform film on the tungsten electrode. After discharging at moderate current densities, disconnected lithium metal is observed at the electrode surface. In contrast, the sodium deposits as a uniform flat film on the tungsten electrode with little or no dendritic growth. The sodium electrodeposits undergo complete stripping from the tungsten electrode without dendritic or disconnected sodium metal left on the electrode surface.

II. Work in Progress/Incomplete

A. Latent and Superacidity Studies

We are attempting to determine if the acidity of the proton, which, in the acidic melt behaves as a superacid, is enhanced in the neutral buffered melt by a reaction:

$$B: + HCI + Na^{+} == B:H^{+} + NaCl(s)$$

We are using a number of arenes to investigate this phenomenon, both electrochemically and spectroscopically. Initial findings show that there is, in fact, an increased proton activity in a neutral buffered melt compared to a neutral unbuffered, or basic, melt. We have found that HCl is a weaker Brønsted acid in a NaCl-neutral buffered melt, originally 55% mole % AlCl₃ prior to buffering, than in the 55% mole % AlCl₃ -lmCl melt itself. However, in a LiCl-neutral buffered melt, originally 55% mole % AlCl₃ prior to buffering, HCl appears to be a stronger Brønsted acid than in the 55% mole % AlCl₃ -lmCl melt itself. We have shown that the latent acidity, as it affects the proton acidity in the melt, is a function of both the concentration and type of alkali metal ion employed to buffer the system. This work is carried out by investigating the extent to which 9,10-dimethylanthracene and hexamethylbenzene is protonated. The Brønsted acidity of HCl within either of these systems can be altered by varying the partial pressure of gaseous HCl over the melt. For example, in a neutral-NaCl buffered

melt, originally 55 mole% AlCl₃, the percent of protonation of 9,10-dimethylanthracene changes monotonically from zero, at 0 partial pressure of HCl, to 80% protonated at 800 mm of HCl above the melt. This reaction is being studied quantitatively, and a solubility study of HCl as a function of partial pressure of HCl over the buffered neutral melt s being carried out. This should permit us to estimate a Hammett acidity function for these melts. Two oral presentations of this work have been made at a meetings. (Appendix B, Ref. 11 and 17). A "Proceedings" paper of the preliminary findings has been submitted. (Appendix A, Ref. 140).

B. Buffered Melts

We have suspected, and have confirmed, albeit with difficulty, that oxide is capable of forming a neutral buffered melt having the same electrochemical window as the alkali metal neutral buffered melts. The difference here, though, is that the buffers involved, oxide and Al-O-Cl entities, are all soluble. Work on this is in progress. A talk on this work was presented at a local ACS meeting. (Appendix B, Ref. 18)

C. NMR Studies

Work on Gutmann Donor-Acceptor numbers, using triethyl phosphine oxide as a probe molecule, is being carried out in buffered neutral melts. It has been found that there are differences in the acceptor numbers if different alkali halides are used for buffering and if the concentration of alkali metal present in the buffered neutral melt is varied. A talk on this has been presented. (Appendix B, Ref. 10 and 16). A manuscript on this is in preparation. A "Proceedings" paper on preliminary aspects of this work has been submitted. (Appendix A, Ref. 139).

III. Interaction with Air Force Laboratories Personnel

Although numerous interactions with Air Force personnel had been frequent, the closing of the Seiler Laboratories at the Air Force Academy has limited such interaction.

IV. Other Activities

Talks presented a various meetings during the Contract period are given in Appendix B below.

V. Personnel

Personnel associated with the activity for any extended time during the contract period are listed below.

Senior Research Personnel

Dr. Ian Quarmby

Dr. Jack Summers

Dr. Leonid Goldenberg

Dr. Joan Fuller

Junior Research Personnel

Ms. Dawn King*
Capt. Robert Mantz**

^{*} Will receive M.S. degree in July, 1996.

^{**} Not paid on Contract funds

APPENDIX A

Publications--Grant Related Activity - since AFOSR support initiated.

AFOSR-71-1955: 1 Jan. 1971 - 28 Feb. 1975

- Janet Osteryoung and R. A. Osteryoung, "The Advantage of Charge Measurements for Determining Kinetic Parameters", Electrochimica Acta, 16, 525 (1971).
- 2. R. A. Osteryoung, "Introduction to the On-Line Use of Computers in Electrochemistry", Vol. II, "Application of Computers to Chemical Instrumentation", Ed. by Mattson, Mark and MacDonald, Marcel Dekker (1973).
- 3. L. G. Boxall, H. L. Jones and R. A. Osteryoung, "Solvent Equilibria in AlCl₃-NaCl Melts", J. Electrochem. Soc., <u>120(2)</u>, 223 (1973).
- 4. H. Lloyd Jones, L. G. Boxall and R. A. Osteryoung, "Organic Electrode Reactions in Fused AlCl₃ Containing Solvents", J. Electroanal. Chem., <u>38</u>, 476 (1972).
- L. G. Boxall, H. L. Jones and R. A. Osteryoung, "Electrochemical Studies on Ag, Fe and Cu Species in AlCl₃-NaCl Melts", J. Electroanal. Chem., 121, 212 (1974).
- 6. H. Lloyd Jones and R. A. Osteryoung, "Electrode Reactions of Aromatic Amines in Solvents Containing Fused AlCl₃:II.", J. Electroanal. Chem., 49, 281 (1974).
- 7. R. J. Gale and R. A. Osteryoung, "Investigation of Subvalent Ion Effects During Aluminum Anodization in Molten NaCl-AlCl₃ Solvents", J. Electrochem. Soc., <u>121</u>, 983 (1974).
- 8. V. R. Koch, L. L. Miller and R. A. Osteryoung, "Reductive Defunctionalization of 1-substituted Adamantanes in Molten Sodium Tetrachloroaluminate", J. Org. Chem., 39, 2416 (1974).
- H. Lloyd Jones and R. A. Osteryoung, "Organic Reactions in Molten Tetrachloroaluminate Solvents", Advances in Molten Salt Chemistry, Vol. 3, Edited by J. Braunstein, G. P. Smith and G. Mamantov, Plenum Publishing (1975).

- R. J. Gale and R. A. Osteryoung, "Dissociative Chlorination of Nitrogen Oxides and Oxyanions in Molten Sodium Chloride-Aluminum Chloride Solvent", Inorg. Chem., <u>14</u>, 1232 (1975).
- 11. H. L. Chum, V. R. Koch, L. L. Miller and R. A. Osteryoung, "An Electrochemical Scrutiny of Organometallic Iron Complexes and Hexamethylbenzene in a Room Temperature Molten Salt", J. Am. Chem. Soc., <u>97</u>, 3264 (1975).
- 12. D.E. Bartak and R. A. Osteryoung, "The Electrochemical Oxidation of N,N,N',N'-Tetramethylbenzidine in Molten Sodium Tetrachloroaluminate", J. Electrochem. Soc., 122, 600 (1975).
- 13. J. Phillips, R. J. Gale, R. G. Wier and R. A. Osteryoung, "Glassy Carbon Rotating Ring-Disc Electrodes for Molten Salt Studies", Anal Chem., 48, 1266 (1976).
- 14. D. E. Bartak and R. A. Osteryoung, "The Redox Behavior of Tetrachloro-p-Benzoquinone-Tetrachlorohydroquinone Systems in Molten Aluminum Chloride-Sodium Chloride Solvents", J. Electroanal. Chem., 74, 69 (1976).

AFOSR 75-2776: 1 March 1975 - 31 May 1976

- 15. V. R. Koch, L. L. Miller and R. A. Osteryoung, "Electroinitiated Friedel-Crafts Transalkylations in a Room Temperature Molten Salt Media", J. Am. Chem. Soc., <u>98</u>, 5377 (1976).
- 16. K. A. Paulsen and R. A. Osteryoung, "Electrochemical Studies on Sulfur and Sulfides in AlCl₃-NaCl Melts", J. Am. Chem. Soc. ,98, 6866 (1976).
- 17. R. A. Osteryoung, "Chemistry and Electrochemistry in Aluminum Chloride Molten Salt Systems", Proceedings of the Symposium on Molten Salts, edited by J. P. Pemsler, J. Braunstein, K. Nobe, D. R. Morris, pp. 240-253, The Electrochemical Society, Pennington, NJ (1976).

AFOSR 766-2978; I April 1976 - 30 June, 1979

- J. Phillips and R. A. Osteryoung, "Molybdenum Chemistry in NaCl-AlCl3 Melts at 175°C", J. Electrochem. Soc., <u>124</u>, 1405 (1977).
- 19. J. Robinson, B. Gilbert and R. A. Osteryoung, "The Acid-Base Chemistry of Oxide and Chalcogenides in Sodium Tetrachloroaluminate Melts at 175°C", Inorg. Chem., 16, 3040 (1977).

- 20. Helena Li Chum, T. Rabockai, J. Phillips and R. A. Osteryoung, "Ligand Oxidation in Iron Diimine Complexes. III. Electrochemical Oxidation of tris-(glyoxalbis(methylimine))Iron(II)", Inorg. Chem., <u>16</u>, 1812 (1977).
- 21. Helena Li Chum, D. Koran and R. A. Osteryoung, "The Electrochemical Behavior of Metal Carbonyls in a Mixture of a Room Temperature Molten Salt and Benzene", J. Organometallic Chem., <u>140</u>, 349 (1977).
- 22. Helena Li Chum, D. Koran and R. A. Osteryoung, "Photochemistry of Iron(II)Diimine Complexes in a Room Temperature Molten Salt", J. Am. Chem. Soc., <u>100</u>, 310 (1978).
- J. Robinson and R. A. Osteryoung, "Electrochemical Studies of Selenium and Selenium Compounds in Molten Sodium Tetrachloroaluminate Melts", J. Electrochem. Soc., <u>125</u>, 1454 (1978).
- 24. B. Gilbert and R. A. Osteryoung, "Electrochemical Studies on Nickel Electrodes in Molten Sodium Tetrachloroaluminates", J. Am. Chem. Soc., 100, 2725 (1978).
- 25. Gleb Mamantov and R. A. Osteryoung, "Acid-Base Dependent Redox Chemistry in Molten Chloroaluminates", in "Characterization Or Solutes in Non-Aqueous Solutions", pg 225-250, G. Mamantov, Ed., Plenum Publishing Co. (1977).
- 26. R. J. Gale, B. Gilbert and R. A. Osteryoung, "Raman Spectra of Molten Aluminum Chloride: 1 Butylpyridinium Chloride Systems at Ambient Temperature", Inorg. Chem., <u>17</u>, 2728 ~978).
- J. Robinson and R. A. Osteryoung, "The Electrochemical Behavior of Te(IV) in Sodium Tetrachloroaluminates", J. Electrochem. Soc., <u>125</u>, 1784 (1978) .
- 28. J. Robinson and R. A. Osteryoung, "The Electrochemical and Spectroscopic Behavior of Some Aromatic Hydrocarbons in the Room Temperature Molten Salt System AlCl₃:n-Butylpyridinium Chloride", J. Am. Chem. Soc., <u>101</u>, 321 (1978).
- 29. J. Robinson, R. C. Bugle, H. L. Chum, D. Koran and R. A. Osteryoung, ¹H and ¹³C Nuclear Magnetic Resonance Spectroscopy Studies of Aluminum Halide-Alkyl Pyridinium Halide Molten Salts and Their Benzene Solutions", J. Am. Chem. Soc, <u>101</u>, 3776 (1979).

30. R. J. Gale and R. A. Osteryoung, "Potentiometric Investigation of Dialuminum Heptachloride Formation in Aluminum Chloride: 1-butyl-pyridinium Chloride Mixtures", Inorg. Chem., 18, 1603 (1979).

AFOSR F49620-79-C-0142: 1 June 1979 - 30 Sept. 1980

- 31. J. Robinson and R. A. Osteryoung, "The Electrochemical Behavior of Aluminum in the Low Temperature Molten Salt System n-Butyl Pyridinium Chloride; Aluminum Chloride and Mixtures of this Molten Salt with Benzene", J. Electrochem. Soc., 127, 122 (1980).
- J. Robinson and R. A. Osteryoung, "An Investigation into the Electrochemical Oxidation of Some Aromatic Amines in the Room Temperature Molten Salt System AlCl₃:N-Butylpyridinium Chloride", J. Am. Chem. Soc., <u>102</u>, 4415 (1980).
- 33. R. J. Gale and R. A. Osteryoung, "Electrochemical Reduction of Pyridinium Ions in Ionic Aluminum Chloride-Alkylpyridinium Halide Ambient Temperature Liquids", J. Electrochem.Soc., <u>127</u>, 2167 (1980).
- 34. R. J. Gale and R. A. Osteryoung, "Electrical Double Layer at Mercury in Room Temperature Aluminum Chloride- Butylpyridinium Chloride Ionic Liquids", Electrochemica Acta, <u>25</u>, 1527 (1980).
- 35. R. J. Gale and R. A. Osteryoung, "Infrared Spectral Investigations of Ambient Molten Aluminum Chloride:-1-Butylpyridinium Chloride Systems", Inorg. Chem., 19, 2240 (1980).
- 36. Janet Osteryoung and Emilia Kirowa-Eisner, "Reverse Pulse Polarography", Anal. Chem., 52, 62-66 (1980).
- 37. Koichi Aoki, R. A. Osteryoung and Janet Osteryoung, "Differential Normal Pulse Voltammetry", J. Electroanal. Chem., 110, 1-18 (1980).

AFOSR-81-0007; 1 October, 1980 - 31 August, 1984

- 38. B. J. Welch and R. A. Osteryoung, "Electrochemical Studies in Low Temperature Molten Salt Systems Containing Aluminum Chlorides", J. Electroanal. Chem., <u>118</u>, 455-466 (1981).
- 39. Z. StoJek, H. Linga and R. A. Osteryoung, "A Titration Procedure for the Determination of Oxide in Basic n-Butylpyridinium Chloride: Aluminum Chloride Melts", J. Electroanal. Chem., <u>119</u>, 365-70 (1981).

- 40. H. Linga, Z. Stojek and R. A. Osteryoung, "Electrochemistry of Titanium(III) in Basic n-Butylpyridinium Chloride and Aluminum Chloride in Presence of Oxide", J. Am. Chem. Soc., <u>103</u>, 3754 (1981).
- 41. Helena Li Chum, D. Koran and R. A. Osteryoung, "Substituent Effects in Iron Diimine Complexes: Correlations with Thermodynamic Properties in a Room Temperature Molten Salt", Inorg. Chem., 20, 3304-3307 (1981).
- *42. T. R. Brumleve, John J. O'Dea, Robert Osteryoung and Janet Osteryoung, "Differential Normal Pulse Voltammetry in the Alternate Pulse Mode Reversible Electrode Reactions", Anal. Chem., <u>53</u>, 702 (1981).
- *43. T. R. Brumleve and Janet Osteryoung, "Theory of Differential Normal Pulse Voltammetry in the Alternating Pulse Mode for Totally Irreversible Electrode Reactions", Anal. Chem., <u>53</u>, 988-991 (1981).
- *44. T. R. Brumleve, R. A. Osteryoung and Janet Osteryoung, "Differential Normal Pulse Voltammetry for the Anodic Oxidation of Iron(II); Anal. Chem., 54, 782-787 (1982).
- *45. T. R. Brumleve and Janet Osteryoung, "Spherical Diffusion and Shielding Effects in Reverse Pulse Voltammetry", J. Phys. Chem., <u>86</u>, 1794-1801 (1982).
- 46. G. T. Cheek and R. A. Osteryoung, "Electrochemical and Spectroscopic Studies of 9,10-Anthraquinone in a Room Temperature Molten Salt", J. Electrochem. Soc., <u>129</u>, 2488 (1982).
- 47. C. Nanjundiah, K. Shimizu and R. A. Osteryoung, "Electrochemical Studies of Fe(II) and Fe(III) in an Aluminum Chloride-Butylpyridinium Chloride Ionic Liquid", J. Electrochem. Soc., <u>129</u>, 2474 (1982).
- 48. G. T. Cheek and R. A. Osteryoung, "Preparation and Characterization of a Substituted Alkylpyridinium Chloroaluminate Molten Salt System", Inorg. Chem., <u>21</u>, 3581 (1982).
- 49. G. T. Cheek and R. A. Osteryoung, "An Electrochemical and Infra-red Study of Chloranil in n-Butylpyridinium Chloride:Aluminum Chloride Ionic Liquid", J. Electrochem. Soc., 129, 2739 (1982).

^{*}Work related to pulse methodology development but not supported by A.F.O.S.R.

- 50. Chenniah Nanjundiah and R. A. Osteryoung, "Electrochemical Studies of Cu(I) and Cu(II) in an Aluminum Chloride-N-(n-Butylpyridinium) Chloride Ionic Liquid", J. Electrochem. Soc., <u>130</u>, 1312 (1983).
- 51. Saeed Sahami and R. A. Osteryoung, "Voltammetric Determination of Water in an Aluminum Chloride-N-n-Butylpyridinium Chloride Ionic Liquid", Anal. Chem., 55, 1970 (1983).
- 52. Z. Karpinski and R. A. Osteryoung, "Electrochemical Studies of Iodine in an Aluminum Chloride-Butylpyridinium Chloride Ionic Liquid. I. Acidic Solvent Composition", J. Electroanal. Chem., <u>164</u>, 281 (1984).
- 53. D. A. Habboush and R. A. Osteryoung, "Electrochemical Studies of Sb(III) and Sb(V) in Molten Mixtures of Aluminum Chloride and Butylpyridinium Chloride", Inorg. Chem., 23, 1726 (1984).
- 54. R. A. Osteryoung, R. J. Gale, J. Robinson, R. Bugle and B. Gilbert, "Electrochemical Studies in Room Temperature Molten Salts", in "Proceedings of the Second International Symposium on Molten Salts", J. Braunstein and R. Selman, eds., pg. 214-219, The Electrochemical Society, Pennington, NJ (1981).
- 55. R. A. Osteryoung, G. Cheek and H. Linga, "Studies in Room Temperature Chloroaluminates", in "Proceedings of the Third International Symposium on Molten Salts", G. Mamantov, ed., pg. 221-236, The Electrochemical Society, Pennington, NJ (1981).
- 56. C. Nanjundiah, K. Shimizu and R. A. Osteryoung, "Electrochemical Studies in an Aluminum Chloride-Butylpyridnium Chloride Ionic Liquid" in "Proceedings of the Workshop on Thermally Regenerative Electrochemical Systems", SERI/CP-234-1577, Solar Energy Research Institute, Golden, Colorado (1982).
- 57. H. L. Chum and R. A. Osteryoung, "Chemical and Electrochemical Studies in Room Temperature Aluminum Halide Containing Melts", in "Ionic Liquids", D. Inman and D. Lovering, eds., pg. 407-423, Plenum Press, London (1981).
- 58. R. J. Gale and R. A. Osteryoung, "High and Room Temperature Haloalumintes", in "Molten Salt Techniques", D. Lovering and R. J. Gale, eds., Ch. 3, pgs 55-78, Plenum Press, New York (1983).
- 59. G. T. Cheek and R. A. Osteryoung, "Preparation and Characterization of a Substituted Alkylpyridinium Chloroaluminate Molten Salt System", Inorg. Chem., 21, 3581 (1982).

- M. Lipsztajn and R. A. Osteryoung, "Increased Electrochemical Window in Ambient Temperature Ionic Ionic Liquids", J. Electrochem. Soc., <u>130</u>, 1968 (1983).
- 61. M. Lipsztajn and R. A. Osteryoung, "Reactions of Chloride Ions in Low Temperature Molten Salt and Applications to the Study of Complex Ion Stoichiometry", Inorg. Chem., 23, 1735 (1984).
- 62. Z. Karpinski and R. A. Osteryoung, "On Determination of Equilibrium Constants for the Tetrachloroaluminate Dissociation in Ambient Temperature Ionic Liquids", Inorg. Chem., 23, 1491 (1984).
- 63. P. G. Pickup and R. A. Osteryoung, "Polymer Coated Electrodes in Ambient Temperature Ionic Liquids", J. Electrochem. Soc., <u>130</u>, 1965 (1983).
- 64. S. Sahami and R. A. Osteryoung, "Electrochemical and Spectroscopic Studies of Polypyridine Complexes of Fe(II)/(III) and Ru(II)/(III) in the Aluminum Chloride N-(1-Butyl)pyridinium Chloride Molten Salt System", Inorg. Chem., 23, 2511 (1984).
- 65. P. G. Pickup and R. A. Osteryoung, "Electrochemical Polymerization of Pyrrole and Electrochemistry of Polypyrrole Films in Ambient Temperature Molten Salts", J. Am. Chem. Soc., <u>106</u>, 2294 (1984).

AFOSR-84-0292; 1 August 1984 - 30 November 1986

- 66. P. G. Pickup and Robert A. Osteryoung, Charging and Discharging Rate Studies of Polypyrrole Films in AlCl₃:1-Methyl-(3-Ethyl)-Imidazolium Chloride Molten Salts and in CH₃CN" J. Electroanal. Chem., <u>195</u>, 271 (1985).
- 67. P. G. Pickup and Robert A. Osteryoung, Charge Transport in Poly-[Ru(2,2'-Bipyridine) (4-Vinylpyridine)]^{3+/2+} Films in AlCl₃ /N-(1-Butyl)pyridinium Chloride and AlCl₃ /1-Methyl(3-Ethyl)imidazolium Chloride Molten Salts" J. Electroanal. Chem., <u>186</u>, 99 (1985).
- 68. P. G. Pickup and R. A. Osteryoung, "Electrochemistry and Spectroelectrochemistry in CH₃CN and Aluminum Chloride/N-(1-Butyl)pyridinium Chloride Molten Salts of Films Prepared by Electrochemical Polymerization of Tris(5-amino-1,10-phenanthroline)Iron (II)", Inorg. Chem., 24, 2707 (1985).

- 69. L. Janiszewska and R. A. Osteryoung, "Electrochemistry of Polythiophene and Polybithiophene Films in Ambient Temperature Molten Salts", J. Electrochem. Soc., 134, 2787 (1987).
- 70. M. LipsztaJn and R. A. Osteryoung, "Electrochemical Reduction of N-(1-Butyl)Pyridinium Cation in 1-Methyl-3-Ethyl-Imidazolium Chloride-Aluminum Chloride Ambient Temperature Ionic Liquids", Electrochim. Acta, 29, 1349 (1984).
- 71. M. LipsztaJn and R. A. Osteryoung, "Electrochemistry in Neutral Ambient Temperature Ionic Liquids. Part I. Studies of Iron(III), Neodymium(III) and Lithium(I)", Inorg. Chem., <u>24</u>, 716 (1985).
- 72. M. Lipsztajn and R. A. Osteryoung, "Studies of Antimony(III) in Ambient Temperature Ionic Liquids", Inorg. Chem., <u>24</u>, 3492 (1985).
- 73. M. Lipsztajn, S. Sahami and R. A. Osteryoung, "Hydroquinone as a Proton Donor in Ambient Temperature Chloroaluminate Ionic Liquids: Reaction with Chloride Ion", Inorg. Chem., 25, 549 (1986).
- 74. Z. Karpinski, C. Nanjundiah and R. A. Osteryoung, "Electrochemical Studies of Ferrocene and Ferrocenium Ion in Liquid", Inorg. Chem., 23, 3358 (1984).
- 75. Z. Karpinski and R. A. Osteryoung, "Electrochemical Studies of Iodine in an Aluminum Chloride-Butylpyridinium Chloride Ionic Liquid: Part II. Neutral and Basic Solvent Composition", J. Electroanal. Chem., <u>178</u>, 281 (1984).
- 76. Z. Karpinski and R. A. Osteryoung, "Spectrophotometric Studies of Iodine Complexes in an Aluminum Chloride-Butylpyridinium Chloride Ionic Liquid", Inorg. Chem., <u>23</u>, 4561 (1984).
- 77. Z. Karpinski and R. A. Osteryoung, "Potentiometric Studies of the Chlorine Electrode in Ambient Temperature Chloroaluminate Ionic Liquids: Determination of Equilibrium Constants for Tetrachloroaluminate Ionic Dissociation", Inorg. Chem., 24, 2259 (1985).
- 78. S. Sahami and R. A. Osteryoung, "Electrochemical Oxidation of Some Metal Carbonyls in Ambient Temperature Ionic Liquids", Electrochim. Acta, 30, 143 (1985).
- 79. M. Lipsztajn and R. A. Osteryoung, "On Ionic Association in Ambient Temperature Chloroaluminate Molten Salts: Analysis of Electrochemical and Conductance Data", J. Electrochem. Soc., <u>132</u>, 1126 (1985).

- 80. T. A. Zawodzinski, Jr., R. Kurland and R. A. Osteryoung, "Relaxation Time Measurements in N-(1-Butyl)pyridinium-Aluminum Chloride Ambient Temperature Ionic Liquids", J. Phys. Chem., <u>91</u>, 962 (1987).
- 81. Robert A. Osteryoung, "Organic Chloroaluminate Ambient Temperature Molten Salts", Robert A. Osteryoung, in Molten Salt Chemistry: An Introduction and Selected Applications, G. Mamantov and R. Marassi, Eds., Pgs. 329-364, NATO ASI Series C: Mathematical and Physical Sciences, Vol. 202, D. Reidel Publishing Co., Dordrecht, Boston, (1987).

AFOSR-87-0088: 1 December, 1986 - 30 November, 1989

- 82. T. A. Zawodzinski, Jr. and R. A. Osteryoung, "Aspects of the Chemistry of Water in Ambient Temperature Chloroaluminate Ionic Liquids: ¹⁷0 NMR Studies", Inorg. Chem., <u>26</u>, 2920 (1987).
- 83. T. A. Zawodzinski, Jr. and R. A. Osteryoung, "The Chemistry of Water in Ambient Temperature Chloroaluminate Ionic Liquids: NMR Studies" in Proceedings of the Joint International Symposium on Molten Salts, G. Mamantov et al., Eds., Vol. 87-7, pp. 406-413, The Electrochemical Society, Pennington, NJ (1987).
- 84. T. A. Zawodzinski, Jr., R. Carlin and R. A. Osteryoung, "Removal of Protons from Chloroaluminate Ionic Liquids", Anal. Chem., <u>59</u>, 2639 (1987).
- 85. L. Janiszewska and R. A. Osteryoung, "Investigations on the Formation of Polyfluorene and Its Electrochemistry in Ambient Temperature Ionic Liquids", J. Electrochem. Soc., <u>135</u>, 116 (1988).
- 86. F. Uribe and R. A. Osteryoung, "Electrochemical and Spectroscopic Studies of 1,4-Benzoquinone in Ambient Temperature Chloroaluminate Molten Salts", J. Electrochem. Soc., <u>135</u>, 378 (1988).
- 87. J. F. Oudard, R. Allendoerfer and R. A. Osteryoung, "Simultaneous EPR Electrochemical and Spectroscopic Studies in Ambient Temperature Ionic Liquids", J. Electroanal. and Interfac. Chem., 241, 231 (1988).
- 88. J. F. Oudard, R. Allendoerfer and R. A. Osteryoung, "Simultaneous EPR Electrochemical Measurements on Polyfluorene in Ambient Temperature Ionic Liquids", Synth. Met., <u>22</u>, 407 (1988).

- 89. R. Carlin and R. A. Osteryoung, "Electrochemistry of Molybdenum Chloride Dimers in a Basic Ambient Temperature Molten Salt", Inorg. Chem., <u>27</u>, 1483 (1988).
- 90. Lin Sinru, J. J. O'Dea, J. Osteryoung and R. A. Osteryoung, "Normal and Reverse Pulse Voltammetry at Microdisc Electrodes", Anal. Chem., <u>60</u>, 1135 (1988).
- 91. Lin Sinru and R. A. Osteryoung, "Normal and Reverse Pulse Voltammetry from Poised Systems at Microdisk Electrodes", Anal. Chem., <u>60</u>, 1845 (1988).
- 92. R. Carlin and R. A. Osteryoung, "Reactions of Protons and Molybdenum Dimers in an Ambient Temperature Molten Salt", Inorg. Chem., <u>27</u>, 3675 (1988).
- 93. R. Carlin and R. A. Osteryoung, "Microelectrodes in the Examination of Anodic and Cathodic Limit Reactions of an Ambient Temperature Molten Salt", J. Electroanal. and Interfac. Chem., 252, 81 (1988).
- 94. T. A. Zawodzinski, Jr. and R. A. Osteryoung, "1-Methyl-3-Ethylimidazolium Hydrogen Bichloride: Synthesis and Application to the Study of Protons in Ambient Temperature Chloroaluminate Ionic Liquids", Inorg. Chem., <u>27</u>, 4383 (1988).
- 95. T. A. Zawodzinski, Jr., L. Janiszewska and R. A. Osteryoung, "On the Chemistry of Pyrrole in Room Temperature Chloroaluminate Melts", J. Electroanal. and Interfac. Chem., <u>255</u>, 111, (1988).
- 96. B. Das, R. T. Carlin and R. A. Osteryoung, "The Ferro/Ferricyanide Couple in Aluminum Chloride-Imidazolum Chloride Ambient Temperature Molten Salts", Inorg. Chem., <u>28</u>, 421 (1989).
- 97. T. A. Zawodzinski, Jr. and R. A. Osteryoung, "Donor-Acceptor Properties of Ambient Temperature Chloroaluminate Melts", Inorg. Chem., <u>28</u>, 1710 (1989).
- *98. R. Carlin and R. A. Osteryoung, "Aluminum Anodization in Basic Ambient Temperature Molten Salts", J. Electrochem. Soc., <u>136</u>, 1409 (1989).

^{*} Work relevant to this grant but supported in part by SDIO/IST, managed by ONR.

AFOSR 90-0099; 1 December, 1989 - 30 June, 1992

- *99. R. T. Carlin and R. A. Osteryoung, "Deposition Studies of Lithium and Bismuth at Tungsten Microelectrodes in LiCl:KCI Eutectic", J. Electrochem. Soc., <u>136</u>, 1249-1255 (1989).
- 100. Thomas A. Zawodzinski, Jr. and R. A. Osteryoung, "Donor Acceptor Properties of Ambient-Temperature Chloroaluminate Melts", Inorg. Chem., 28,1710-1715 (1989).
- 101. P. C. Trulove, R. T. Carlin, and R. A. Osteryoung, "Lewis and Bronsted Acid Adducts in Ambient Temperature Chloroaluminate Molten Salts", J. Am. Chem. Soc., <u>112</u>, 45674568 (1990).
- 102. Marc A.-M. Nöel and Robert A. Osteryoung, "Determination of the Stoichiometry of Some Metal Chlorocomplex Ions in Basic Ambient Temperature Molten Salts", J. Electroanal. Chem., 284, 413-429 (1990).
- 103. Thomas A. Zawodzinski, Jr. and R. A. Osteryoung, "Oxide and Hydroxide Species Formed on Addition of Water in Ambient Temperature Chloroaluminate Melts: An ¹⁷0 NMR Study", Inorg. Chem., <u>29</u>, 2842-2847 (1990).
- 104. R. T. Carlin, R. A. Osteryoung, J. S. Wilkes and J. Rovang, "Studies of Titanium(IV) Chloride in a Strongly Lewis Acidic Molten Salt: Electrochemistry, Titanium NMR and Electronic Spectroscopy", Inorg. Chem., 29, 3003-3009 (1990).
- 105. Marc Nöel and R. A. Osteryoung, "Use of Metal Chlorides to Buffer Neutral Ambient Temperature Molten Salts", J. Electroanal. Chem., 293, 108, 139-150 (1990).
- 106. Basudev K. Das and Robert A. Osteryoung, Electrochemistry of 9,10-Anthraquinone Moiety of [1-Pyrrol-1-YL) -HEX-6-YL]-9,10-Anthraquinone-2-Sulfonate in Aluminum Chloride-1-Methyl-3-Ethylimidazolium Chloride Ambient Temperature Melt, J. Bangladesh Chem. Soc., 3(2), 147-152 (1990).
- Soo-Gil Park, Paul C. Trulove, Richard T. Carlin and Robert A.
 Osteryoung, "A Mixed Lewis Acid-Bronsted Acid Ambient Temperature lonic Liquid: An Electrochemical and NMR Study of Dimethylaniline", J. Am. Chem. Soc., <u>113</u>, 3334-3340 (1991).
- * Work relevant to this grant but supported in part by SDIO/IST, managed by ONR.

- 108. Michael T. Carter, Charles L. Hussey, S. K.D. Strubinger, and Robert A. Osteryoung, "Electrochemical Reduction of Dioxygen in Room-Temperature Imidazolium Chloride-Aluminum Chloride Molten Salts", Inorg. Chem., 30, 1149-1151 (1991).
- *109. Renewal of Boundary Conditions in Pulse Voltammetry at Microdisk Electrodes for Non-Reversible Systems, Z. J. Karpinski and Robert A. Osteryoung, J. Electroanal. Chem., 307, 47-62 (1991).
- 110. J. Tang and R. A. Osteryoung, "Electrochemistry of Polyaniline in Ambient Temperature Molten Salts: I", Syn. Met., <u>44</u>, 307-319 (1991).
- 111. J. Tang and R. A. Osteryoung, "Formation and Electrochemistry of Polyaniline in Ambient Temperature Molten Salts", .Syn. Met., <u>45</u>, 1-13 (1991).
- 112. P. Trulove, M. Noel and R. A. Osteryoung, "Removal of Protons from Ambient-Temperature Chloroaluminate Ionic Liquids", Anal. Chem., 63, 2892-2896 (1991).
- 113. Marc A.M. Noel, R. Allendoerfer, and R. A. Osteryoung, "Solvation in Ionic Liquids: An EPR Study", J. Phys. Chem., <u>96</u>, 2391-2394 (1992).
- 114. J. Tang, R. Allendoerfer and R. A. Osteryoung, "Simultaneous EPR and Electrochemical Measurements on Polyaniline in Ambient Temperature Molten Salts", J. Phys. Chem., <u>96</u>, 3531-3536 (1992).
- 115. Marc A.M. Noel, John J. O'Dea, and R. A. Osteryoung, "Short Time Pulse Voltammetry at Very Small Electrodes in Ambient Temperature Chloroaluminate Ionic Liquids", J. Electrochem. Soc., <u>139</u>, 1231 -1236 (1992).
- P. C. Trulove, R. T. Carlin and R. A. Osteryoung, "Interaction of Protons with Solutes in Ambient Temperature Chloroaluminate Molten Salts: Electrochemistry and NMR Spectroscopy of Protonated Anthracene", Proceedings of the Seventh International Symposium on Molten Salts, C. L. Hussey, S. N. Flengas, J. S.Wilkes and Y. Ito, Eds, The Electrochemical Society, Proceedings Volume 90-17, pgs. 306-324, Pennington, NJ (1990).

^{*}Work relevant to grant but supported by NSF.

- 117. S. G. Park, P. Trulove, R. T. Carlin and R. A. Osteryoung, "Protons in Ambient Temperature Chloroaluminate Molten Salts: Electrochemical and NMR Studies of Their Interaction with Dimethylaniline", Proceedings of the Seventh International Symposium on Molten Salts, C. L. Hussey, S. N. Flengas, J. S. Wilkes and Y. Ito, Eds, The Electrochemical Society, Proceedings Volume 90-17, pgs. 290-305, Pennington, NJ (1990).
- Michael T. Carter and Robert A. Osteryoung, "Electrochemistry of 9,10-Anthraquinone in the Presence of Proton and Tetrachloroaluminate in Ambient Temperature Molten Salts", Proceedings of Eighth International Symposium on Molten Salts, R. J. Gale, George Blomgren, and H. Kojima, Eds., The Electrochemical Society, Proceedings Volume 92-16, pgs. 406-425, Pennington, NJ, (1992).
- 119. Paul C. Trulove and Robert A. Osteryoung, "The Nature of Proton in Ambient-Temperature Chloroaluminate Molten Salts", Proceedings of Eighth International Symposium on Molten Salts, R. J. Gale, George Blomgren, and H. Kojima, Eds., Proceedings Volume 92-16, pgs. 292-302, The Electrochemical Society, Pennington, NJ, (1992).
- 120. Paul C. Trulove and Robert A. Osteryoung, "The Chemistry of Proton in Ambient Temperature Chloroaluminate Molten Salts", Proceedings of Eighth International Symposium on Molten Salts, R. J. Gale, George Blomgren, and H. Kojima, Eds., Proceedings Volume 92-16, pgs. 303-316, The Electrochemical Society, Pennington, NJ, (1992).

AFOSR Grant F49620-92-J-0326: 1 July, 1992 - 31 December, 1993

- 121. Richard Carlin, Paul Trulove and Robert A. Osteryoung, "Electrochemical and Spectroscopic Study of Anthracene in a Mixed Lewis-Brønsted Acid Ambient Temperature Molten Salt System", Electrochim. Acta, <u>37</u>, 2615-2628 (1992).
- Jinsong Tang, Kunio Shimizu and Robert A. Osteryoung, "Electrochemical Studies of Tris-(acetylacetonato)ruthenium(III) Complex in Ambient Temperature Chloroaluminate Molten Salts", Inorg. Chem., 31, 3980-3985 (1992).
- Michael Carter and Robert A. Osteryoung, "Interaction of 9,10-Anthraquinone with Tetrachloroaluminate and Proton in Basic Aluminum Chloride:1-Ethyl-3-Methylimidazolium Chloride Room Temperature Molten Salts", J. Electrochem. Soc., <u>139</u>, 1795-1802 (1992).
- Paul C. Trulove and Robert A. Osteryoung, "Proton Speciation in Ambient Temperature Chloroaluminate Ionic Liquids, Inorg. Chem., 31, 3980-3985 (1992).

- 125. Paul C. Trulove, Dinesh K. Sukumaran, and Robert A. Osteryoung, "NMR Studies of the Proton Equilibrium in Basic Ambient-Temperature Chloroaluminate Ionic Liquids", Inorg. Chem., 32, 4396 (1993).
- S. Song, J. Tang, M. Kajitani, K. Shimizu, and Robert A. Osteryoung, "Electrode Processes of (η⁵–Cyclopentadienyl)-(1,2-Substituted 1,2 Ethylenedithiolato)Cobalt(III) Complexes in an Ambient Temperature Molten Salt", J.. Chem., <u>455</u>, 211-217 (1993).
- 127 Richard T. Carlin and Robert A. Osteryoung, "A Silane-Based Electroactive Film Prepared in Imidazolium Chloroaluminate Molten Salt", J. Electrochem. Soc., **141** 1709-1713 (1994).
- 128. Z. J. Karpinski, S. Song and R. A. Osteryoung, "Dependence of Electron Transfer Kinetics of the Ferrocene/Ferrocenium Couple on the Viscosity in Ambient Temperature Chloroaluminate Ionic Liquids", Inorg. Chim. Acta, <u>225</u>, 9-14 (1994).
- 129. Leonid Goldenberg and Robert A. Osteryoung, "Benzene Polymerization in 1-Ethyl-3-Methylimidazolium Chloride-AlCl₃ Ionic Liquid", Syn. Met., <u>64</u>, 63-68 (1994).
- AFOSR Contract F49620-94-1-0056. 1 January, 1994 30 June, 1996.
- 130. Michael T. Carter and Robert A. Osteryoung, "Heterogeneous and Homogeneous Electron Transfer Reactions of Tetrathafulvalene in Ambient Temperature Chloraluminate Molten Salts", J. Electrochem. Soc., 141, 1713-1720 (1994).
- 131. I. C. Quarmby, R. A. Mantz, L. M. Goldenberg, and R. A. Osteryoung, "Examination of the Stoichiometry of Latent Acidity in Buffered Chloroaluminate Ionic Liquids", Anal. Chem. <u>,66</u>, 3558-3561 (1994).
- 132. I. C. Quarmby, R. A. Mantz, L. M. Goldenberg, and R. A. Osteryoung, "Latent Acidity in Buffered Chloroaluminate Ionic Liquids", Proceedings of Ninth International Symposium on Molten Salts, C. Hussey, D. Newman, G. Mamantov, and Y. Ito, Eds., Proceedings Volume 94-13, pgs. 483-490, The Electrochemical Society, Pennington, NJ (1994).
- 133. Robert A. Mantz, R. A. Osteryoung, Paul C. Trulove, Richard T. Carlin and Hanna Sierzputowska-Gracz, "ROESY NMR of Basic Ambient Temperature Chloroaluminate Ionic Liquids", Proceedings of Ninth International Symposium on Molten Salts, C. Hussey, D. Newman, G. Mamantov, and Y. Ito, Eds., Proceedings Volume 94-13, pgs. 336-342, The Electrochemical Society, Pennington, NJ (1994).

- 134. Richard T. Carlin and Robert A. Osteryoung, "A Silane-Imidazole Electroactive Film for Battery Cathodes", Proceedings of Ninth International Symposium on Molten Salts, C. Hussey, D. Newman, G. Mamantov, and Y. Ito, Eds., Proceedings Volume 94-13, pgs. 744-751, The Electrochemical Society, Pennington, NJ (1994).
- 135. Robert A. Mantz, Paul C. Trulove, Richard T. Carlin, and Robert A. Osteryoung, "ROESY NMR of Basic Ambient-Temperature Chloroaluminate Ionic Liquids", Inorg. Chem., **34**, 3846-3847 (1995).
- J. Fuller, R. A. Osteryoung, and R. T. Carlin, "Rechargeable Lithium and Sodium Anodes in Chloroaluminate Molten Salts Containing Thionyl Chloride", J. Electrochem. Soc., **142**, 3632-3636 (1995).
- 137. J. Fuller, R. T. Carlin, and R. A. Osteryoung, "In-Situ Optical Microscopy Investigations of Lithium and Sodium Film Formation in Buffered Room Temperature Molten Salts", J. Electrochem. Soc., in press.
- 138. Richard T. Carlin, Paul C. Trulove, Robert A. Mantz, John J. O'Dea and Robert A. Osteryoung, "Electron Transfer Kinetics for Weakly-Bonded Labile Metal-Ligand Complexes", Journal of the Chemical Society: Faraday Transactions, submitted for publication, June, 1996.
- 139. Robert A. Mantz, Paul C. Trulove, Richard T. Carlin, and Robert A. Osteryoung, "Gutmann Acceptor Properties of LiCl, NaCl, and KCl Buffered Ambient-Temperature Chloroaluminate Ionic Liquids", Proceedings of Tenth International Symposium on Molten Salts, The Electrochemical Society, submitted, May, 1996.
- 140. Dawn King and Robert A. Osteryoung "Acidity of HCl in Neutral Buffered Chloroaluminate Molten Salts", Proceedings of Tenth International Symposium on Molten Salts, The Electrochemical Society, submitted, May, 1996.

Appendix B:

Presentations at Meetings Related to Activities on Contract F49620-94-1-0056, ; 1 January, 1994 - 30 June, 1996

Invited Presentations

- 1. Robert A. Osteryoung, "Ambient Temperature Ionic Liquids: Real Nonaqueous Solvents", Kolthoff Memorial Symposium, Pittsburgh Conference on Analytical Chemistry and Applied Spectroscopy, Chicago, March, 1994.
- 2. Ian C. Quarmby, Robert Mantz and Robert A. Osteryoung, "Latent Acidity in Buffered Chloroaluminate Ionic Liquids", Ninth International Symposium on Molten Salts, The Electrochemical Society, Spring Meeting, San Francisco, May, 1994.
- 3. Robert A. Mantz, Robert A. Osteryoung, Paul C. Trulove, Richard T. Carlin, and Hanna Sierzputowska-Gracz "ROESY NMR of Basic Ambient Temperature Chloroaluminate Ionic Liquids", Ninth International Symposium on Molten Salts, The Electrochemical Society, Spring Meeting, San Francisco, May, 1994.
- 4. Richard T. Carlin and Robert A. Osteryoung, "A Silane-Imidazole Electroactive Film for Battery Cathodes", Ninth International Symposium on Molten Salts, The Electrochemical Society, Spring Meeting, San Francisco, May, 1994.
- 5. John J. O'Dea, Robert Mantz, M. Khaled and R. A. Osteryoung, "Very Fast Square Wave Voltammetry at Microelectrodes", American Chemical Society, Division of Analytical Chemistry Electrochemistry Award Symposium Honoring Fred C. Anson, Fall Meeting, Washington, August, 1994.
- 6. Robert A. Osteryoung, "Ambient Temperature Chloroaluminate Ionic Liquids: Chemistry, Electrochemistry, and Witchcraft!", Departmental Colloquium, University of Iowa, Iowa City, Sept. 2, 1994.
- 7. Robert A. Osteryoung, "Brownsted and Lewis Acidity in Ambient Temperature Chloroaluminate Molten Salts", Symposium on Organic Reactions in Highly Acidic Media, Southeast/Southwest Regional ACS Meeting, Memphis, Nov. 29-December 1, 1995.
- 8. Robert A. Osteryoung, "Ambient Temperature Chloroaluminate Ionic Liquids: An Overview", Pittsburgh Analytical Chemistry Award Symposium Honoring Johannes Coetezee, Pittsburgh Conference, Chicago, IL, March 3-8, 1996.
- 9. Robert A. Osteryoung, "Ambient Temperature Chloroaluminate Ionic Liquids: An Overview for the Uninitiated", Seminar, Department of Chemistry, University of North Carolina, April 8, 1996.

- Robert A. Mantz, Paul C. Trulove, Richard T. Carlin, and Robert A. Osteryoung, "Gutmann Acceptor Properties of LiCl, NaCl, and KCl Buffered Ambient-Temperature Chloroaluminate Liquids," Tenth International Symposium on Molten Salts, The Electrochemical Society, Spring Meeting, Los Angeles, May, 1996.
- 11. Dawn King and Robert A. Osteryoung, "Acidity of HCl in Neutral Buffered Chloroaluminate Molten Salts", Tenth International Symposium on Molten Salts, The Electrochemical Society, Spring Meeting, Los Angeles, May, 1996.

Contributed Presentations

- 12. Richard T. Carlin, Paul C. Trulove, Robert Mantz and R. A. Osteryoung, "Concurrent Electron Transfer and Bond Dissociation in Weak and Strong Metal Complexes", poster, Gordon Research Conference on Electrochemistry, Ventura, CA, January, 1994.
- 13. R. A. Mantz, P. C. Trulove, R. T. Carlin and R. A. Osteryoung, "ROESY NMR of Basic Room-Temperature Molten Salts", North Carolina ACS Section Meeting, Durham, NC, April, 1994.
- 14. P. C. Trulove, R. T. Carlin, R. A. Mantz, J. J. O'Dea, and R. A. Osteryoung, "Application of Square Wave Voltammetry to Asymmetric Electron Transfer in Cu(I)-Ligand Systems", Pittsburgh Conference on Analytical Chemistry and Applied Spectroscopy, New Orleans, March, 1995.
- 15. L. M. Goldenberg, John J. O'Dea and Robert A. Osteryoung, "Pulse Voltammetry of Polyaniline Films on Microelectrodes", International Workshop on Electrochemistry of Electroactive Polymer Films, Moscow, Russia, April 8-12, 1995 (poster).
- 16. Robert Mantz, Robert A. Osteryoung, Paul C. Trulove, Richard Carlin and T. Sweem, "Gutmann Acceptor Number of LiCl, NaCl, and KCl Neutral Buffered Chloroaluminate Room Temperature Molten Salts", North Carolina ACS Section Meeting, Chapel Hill, NC, April, 1995.
- 17. Dawn King, Robert Mantz, and Robert A. Osteryoung, "Bronsted Acidity in Chloroaluminate Molten Salts", North Carolina ACS Section Meeting, Raleigh, NC, April, 1996.
- Robert Mantz, Jack Summers, and Robert A. Osteryoung, "The Behavior of Oxide in Chloroalumiante Molten Salts", North Carolina ACS Section Meeting, Raleigh, NC, April, 1996.